

**THE PORT AUTHORITY OF NEW YORK AND NEW JERSEY
TWO MONTGOMERY STREET - 1st FLOOR
JERSEY CITY, NJ 07302**

February 15, 2022

ADDENDUM NO. 13

TO PROSPECTIVE BIDDERS ON CONTRACT **PN-654.001** – PORT NEWARK – PORT STREET CORRIDOR IMPROVEMENTS AND CONTRACT **PN-654.001M** – PORT NEWARK – PORT STREET CORRIDOR IMPROVEMENTS – AGREEMENT TO PERFORM LANDSCAPE MAINTENANCE

The following changes are hereby made in the Contract Documents for the subject Contract.

This communication should be physically annexed to back cover of the book and initialled by each bidder before submitting his bid.

In case any bidder fails to conform to these instructions, his Bid will nevertheless be construed as though this communication had been so physically annexed and initialled.

CHANGES IN THE CONTRACT BOOKLET FOR CONTRACT PN-654.001

Page 585 – Delete the entire page and substitute therefor new page 585 which is attached hereto and made a part hereof.

THE PORT AUTHORITY OF NEW YORK AND NEW JERSEY

James Starace, P.E.
Chief Engineer/Director

INITIALLED BY THE BIDDER:

SECTION 099100

PAINTING

APPENDIX "B"

PAINT SCHEDULE

A. Exterior

<u>Surface</u>	<u>System Designation</u>	<u>Primer</u>	<u>Manufacturer's Product</u>	<u>2nd Coat</u>	<u>Manufacturer's Product</u>	<u>Top Coat</u>	<u>Manufacturer's Product</u>
Steel Semi-Gloss	S-1S*	Organic Zinc Rich	Carboline Carbozinc 859	Epoxy	Carboline Carboguard 893	Aliphatic Polyurethane Semi-Gloss	Carboline Carbothane 133 LV/VOC
Steel Semi-Gloss			SW Zinc Clad 4100		SW Macropoxy 646 FC	Aliphatic Polyurethane Semi-Gloss	SW Hi-Solids Polyurethane 250
Steel Gloss							

*System S-1S must be on the current New England Protective Coatings (NEPCOAT) Qualified Product List.

END OF APPENDIX "B"